



English



Search ...

PRODUCTS | APPLICATIONS | DESIGN SUPPORT | TRAINING |  
 SAMPLE AND BUY | ABOUT US | CONTACT US | myMicrochip Login

## Product Change Notification - JAON-08AHID607 (Printer Friendly)

<b>Date:</b>	25 Sep 2016
<b>Product</b>	Analog (Thermal, Power Management & Safety); Micrel;
<b>Category:</b>	Supertex
<b>Notification subject:</b>	CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.
<b>Notification text:</b>	<b>PCN Status:</b> Intermediate notification

### Microchip Parts Affected:

Please open the attachments found in the attachments field below labeled as PCN\_#\_Affected\_CPN.

NOTE: For your convenience Microchip includes identical files in two formats (.pdf and .xls).

### Description of Change:

Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology. This PCN is to inform you that qualification of the CSI05 process technology has completed and to provide the report for your review. Although we are providing you with the qualification data, products in this process technology will not ship from Microchip's Fab's until after the final PCN has been issued. Please review the FAQ linked [here](#) for additional information about this change.

### Pre Change:

Fabricated at Micrel fabrication site (San Jose, CA, USA) using 6 inch wafers.

### Post Change:

Fabricated at Microchip Fabrication site using 8 inch wafers.

**Impacts to Data Sheet:**

None

**Reason for Change:**

To improve productivity with the closure of the Micrel fab as part of the integration of Micrel and Microchip.

**Change Implementation Status:**

In Progress

**Estimated First Ship Date:**

Catalog part numbers fabricated in Microchip Fabs will not ship until the final PCN has been issued. Microchip will issue Final PCNs as catalog part numbers (CPN) are released to production.

NOTE: This FAB transition will vary by catalog part number (CPN) and may take several months/years to complete the transition.

**Summary Time Table of notable events to date:**

	September 2015					->	September 2016				
Workweek	36	37	38	39	40		35	36	37	38	39
Initial PCN Issue Date	X										
Qual Report Available										X	

**Markings to Distinguish Revised from Unrevised Devices:**

Traceability code and MPC on shipping label.

**Revision History:**

**September 1, 2015:** Issued initial notification as PCN number **CYER-31JLEX869**.

**September 25, 2016:** Issued intermediate notification with a different PCN number. Attached the Qualification Report. Revised the estimated first ship date (EFSD) to inform that the EFSD will be revealed in the final PCN.

The change described in this PCN does not alter Micrel's or Microchip's current regulatory compliance regarding the material content of the applicable products.

**Attachment(s):** [PCN\\_JAON-08AHID607\\_Qual\\_Report.pdf](#)  
[PCN\\_JAON-08AHID607\\_Affected\\_CPN.pdf](#)  
[PCN\\_JAON-08AHID607\\_Affected\\_CPN.xls](#)

Please contact your local [Microchip sales office](#) with questions or concerns regarding this notification.

### Terms and Conditions:

If you wish to change your product/process change notification (PCN) profile please log on to our website at <http://www.microchip.com/PCN> sign into myMICROCHIP to open the myMICROCHIP home page, then select a profile option from the left navigation bar.

To opt out of future offer or information emails (other than product change notification emails), click here to go to [microchipDIRECT](#) and login, then click on the "My account" link, click on "Update profile" and un-check the box that states "Future offers or information about Microchip's products or services."



[Products](#) | [Applications](#) | [Design Support](#) | [Training](#) |  
[Sample and Buy](#) | [About Us](#) | [Contact Us](#) | [Legal](#) | [Investors](#) |  
[Careers](#) | [Support](#)

©Copyright 1998-2016 Microchip Technology Inc. All rights reserved. Shanghai ICP Recordal No.09049794



**MICROCHIP**

**QUALIFICATION REPORT  
RELIABILITY LABORATORY**

**PCN #: JAON-08AHID607**

**Date  
September 20, 2016**

**Qualification of Microchip 8 inch Fabrication site for Micrel products  
manufactured with the CSI05 Process Technology.**

PART NUMBER	PACKAGE TYPE	ASSEMBLY LOCATION	FAB LOCATION	PROCESS NAME
23250-S4YMT 22801	DFN22-10L	UNISEM, IPOH, MALAYSIA	MICROCHIP FAB-2 TEMPE AZ.	CSI 0.5

### DIE QUALIFICATION RESULTS

TEST DESCRIPTION	METHOD/CONDITIONS	DATE CODE	LOT ID.	168 HR Rej/ss	500 HR Rej/ss	1000 HR Rej/ss	COMMENTS
<b>HTOL</b> High Temperature Operating Life Test	JESD22, Method 108	1609	V216328088.100MQB	0/77	0/77	0/77	
	Ta = + 125°C	1606	V216328088.000MQJ	0/77	0/77	0/77	
	Vcc = +5.5V	1606	V216328088.000MQK	0/77	0/77	0/77	

### ELECTROSTATIC DISCHARGE

TEST DESCRIPTION	METHOD/CONDITIONS	DATE CODE	LOT ID.	STRESS	RESULT Rej/ss	COMMENTS
<b>ESD-HBM</b> Human Body Model ATE Test @ Room +25C	R= 1500 Ohms C= 100 pF 1X +/- Voltage	1609	V216328088.100MQB	+/-2000V	0/3	Note: ESD ratings are device specific. All Products qualified on the 8" Micrel process technologies will have the same or better ESD and Latch-up performance as the 6" San Jose Products.
<b>ESD-CDM</b> Charged Device Model ATE Test @ Room +25C	JESD22-C101 1X +/- Voltage	1609	V216328088.100MQB	+/-1500V	0/3	

TEST DESCRIPTION	METHOD/CONDITIONS	DATE CODE	LOT ID.	STRESS	RESULT Rej/ss	COMMENTS
<b>LATCH-UP</b>	JESD-78	1609	V216328088.100MQB	I/O LU	0/6	
	TA = +25°C			O/V LU	0/6	

--	--	--	--	--	--	--

**PACKAGE QUALIFICATION RESULTS**

TEST DESCRIPTION	METHOD/CONDITIONS	DATE CODE	LOT ID.	Rej/ss	COMMENTS
Level 1 Pre-conditioning Flow	JESD22-A113	1609	V216328088.100MQB	0/323	
		1606	V216328088.000MQJ	0/143	
		1606	V216328088.000MQK	0/143	
TEST DESCRIPTION	METHOD/CONDITIONS	DATE CODE	LOT ID.	96 HR Rej/ss	COMMENTS
PRESSURE POT With Level 1 Pre-conditioning Tpeak + 260°C 3X Reflow	JESD22-A102  Ta = +121°C/100%RH  15 PSIG	1609	V216328088.100MQB	0/45	
		1606	V216328088.000MQJ	0/45	
		1606	V216328088.000MQK	0/45	
TEST DESCRIPTION	METHOD/CONDITIONS	DATE CODE	LOT ID.	96 HR Rej/ss	COMMENTS
HAST With Level 1 Pre-conditioning Tpeak + 260°C 3X Reflow	JESD22-A110 (BIASED)  Ta= +130°C/85%RH  Vcc = +5.5V	1609	V216328088.100MQB	0/45	
		1606	V216328088.000MQJ	0/45	
		1606	V216328088.000MQK	0/45	
TEST DESCRIPTION	METHOD/CONDITIONS	DATE CODE	LOT ID.	500 CY Rej/ss	COMMENTS
TEMP CYCLE With Level 1 Pre-conditioning Tpeak + 260°C 3X Reflow	JESD22-A104  Ta = -65°C / +150°C	1609	V216328088.100MQB	0/45	
		1606	V216328088.000MQJ	0/45	
		1606	V216328088.000MQK	0/45	
TEST DESCRIPTION	METHOD/CONDITIONS	DATE CODE	LOT ID.	1000 HR Rej/ss	COMMENTS
HTSL High Temperature Storage Life With Level 1 Pre-conditioning Tpeak + 260°C 3X Reflow	JESD22-A103  Ta = +150°C	1609	V216328088.100MQB	0/76	
FLAMMABILITY	UL-94V-0  Certified	All mold compounds used by Micrel meet this standard. See the UL website on-line list of material flammability certifications. Micrel requires a Certificate of Compliance from the assembly house and we verify the certifications on the web.			

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC1810-10UY-TR
MIC1810-15UY-TR
MIC1810-5UY-TR
MIC1815-10UY-TR
MIC1815-20UY-TR
MIC2003-0.5YM5-TR
MIC2003-0.5YML-TR
MIC2003-0.8YM5-TR
MIC2003-0.8YML-TR
MIC2003-1.2YM5-TR
MIC2003-1.2YML-TR
MIC2004-0.5YM5-TR
MIC2004-0.5YML-TR
MIC2004-0.8YM5-TR
MIC2004-0.8YML-TR
MIC2004-1.2YM5-TR
MIC2004-1.2YML-TR
MIC2005-0.5LYM5-TR
MIC2005-0.5YM6-TR
MIC2005-0.5YML-TR
MIC2005-0.8LYM5-TR
MIC2005-0.8YM6-TR
MIC2005-0.8YML-TR
MIC2005-1.2LYM5-TR
MIC2005-1.2YM6-TR
MIC2005-1.2YML-TR
MIC2005A-1YM5-TR
MIC2005A-1YM6-TR
MIC2005A-2YM5-TR
MIC2005A-2YM6-TR
MIC2005M-0.5YM6-TR
MIC2006-0.5YM6-TR
MIC2006-0.5YML-TR
MIC2006-0.8YM6-TR
MIC2006-0.8YML-TR
MIC2006-1.2YM6-TR
MIC2006-1.2YML-TR
MIC2007YM6-TR
MIC2007YML-TR
MIC2008YM6-TR
MIC2008YML-TR
MIC2009A-1YM6-TR
MIC2009A-2YM6-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC2009YM6-TR
MIC2009YML-TR
MIC2013-0.5YM5-TR
MIC2013-0.5YML-TR
MIC2013-0.8YM5-TR
MIC2013-0.8YML-TR
MIC2013-1.2YM5-TR
MIC2013-1.2YML-TR
MIC2014-0.5YM5-TR
MIC2014-0.5YML-TR
MIC2014-0.8YM5-TR
MIC2014-0.8YML-TR
MIC2014-1.2YM5-TR
MIC2014-1.2YML-TR
MIC2015-0.5YM6-TR
MIC2015-0.5YML-TR
MIC2015-0.8YM6-TR
MIC2015-0.8YML-TR
MIC2015-1.2YM6-TR
MIC2015-1.2YML-TR
MIC2016-0.5YM6-TR
MIC2016-0.5YML-TR
MIC2016-0.8YM6-TR
MIC2016-0.8YML-TR
MIC2016-1.2YM6-TR
MIC2016-1.2YML-TR
MIC2017YM6-TR
MIC2017YML-TR
MIC2018YM6-TR
MIC2018YML-TR
MIC2019A-1YM6-TR
MIC2019A-2YM6-TR
MIC2019YM6-TR
MIC2019YML-TR
MIC2090-1YM5-TR
MIC2090-2YM5-TR
MIC2091-1YM5-TR
MIC2091-2YM5-TR
MIC2095-1YMT-TR
MIC2095-2YMT-TR
MIC2097-1YMT-TR
MIC2097-2YMT-TR
MIC2098-1YMT-TR



JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC2098-2YMT-TR
MIC2099-1YMT-TR
MIC2099-2YMT-TR
MIC2205-1.38YML-TR
MIC2205-1.3YML-TR
MIC2205-1.58YML-TR
MIC2205-1.5YML-TR
MIC2205-1.85YML-TR
MIC2205-1.8YML-TR
MIC2205YML-TR
MIC2206-1.2YML-TR
MIC2206-1.8YML-TR
MIC2206-83YML-TR
MIC2206-9IYML-TR
MIC2207YML-TR
MIC2208YML-TR
MIC22200YML-TR
MIC22205YML-TR
MIC2224YML-TR
MIC2225-4KYMT-TR
MIC2225-4MYMT-TR
MIC2225-4OYMT-TR
MIC2225-4SYMT-TR
MIC2225-G4YMT-TR
MIC2225-GFYMT-TR
MIC2225-GJYMT-TR
MIC2225-GMYMT-TR
MIC22400YML-TR
MIC22400YTSE
MIC22400YTSE-TR
MIC22405YML-TR
MIC2245YML-TR
MIC22600YML-TR
MIC22600YTSE
MIC22600YTSE-TR
MIC22601YML-TR
MIC22602YML-TR
MIC22700YML-TR
MIC22705YML-TR
MIC2285AYMT-TR
MIC2285YML-TR
MIC22950YML-TR
MIC23030-4YMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC23030-AYMT-TR
MIC23030-CYMT-TR
MIC23030-FYMT-TR
MIC23030-GYMT-TR
MIC23031-4YMT-TR
MIC23031-AYMT-TR
MIC23031-CYMT-TR
MIC23031-FYMT-TR
MIC23031-GYMT-TR
MIC23050-4YML-TR
MIC23050-CYML-TR
MIC23050-GYML-TR
MIC23050-SYML-TR
MIC23051-16YML-TR
MIC23051-945YML-TR
MIC23051-C4YML-TR
MIC23051-CGYML-TR
MIC23060-G4YMT-TR
MIC23150-4YMT-TR
MIC23150-55YMT-TR
MIC23150-CYMT-TR
MIC23150-GYMT-TR
MIC23150-SYMT-TR
MIC23153-GYMT-TR
MIC23153YMT-TR
MIC23155-GYMT-TR
MIC23155YMT-TR
MIC23156-0YCS-TR
MIC23156-0YML-T5
MIC23156-0YML-TR
MIC23156-2YCS-TR
MIC23156-2YML-T5
MIC23156-2YML-TR
MIC23158YML-T5
MIC23158YML-TR
MIC23159YML-T5
MIC23159YML-TR
MIC23201YML-T5
MIC23201YML-TR
MIC23250-AAYMT-TR
MIC23250-F4YMT-TR
MIC23250-G4YMT-TR
MIC23250-M4YMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC23250-S4YMT-TR
MIC23250-SKYMT-TR
MIC23250-W4YMT-TR
MIC23254-GCYMT-TR
MIC23303YML-T5
MIC23303YML-TR
MIC23450-AAAYML-T5
MIC23450-AAAYML-TR
MIC23451-AAAYFL-T5
MIC23451-AAAYFL-TR
MIC23603YML-T5
MIC23603YML-TR
MIC2550AYML25-TR
MIC2550AYML-TR
MIC2550AYTS
MIC2550AYTS-TR
MIC2550YML-TR
MIC2550YTS
MIC2550YTS-TR
MIC2551AYML25-TR
MIC2551AYML-TR
MIC2551AYTS
MIC2551AYTS-TR
MIC2551YML-TR
MIC2551YTS
MIC2551YTS-TR
MIC2555-0YML-TR
MIC2555-1YML-TR
MIC2569YQS
MIC2569YQS-TR
MIC2772-L2L3YML-TR
MIC2772-L3L3YML-TR
MIC2772-L3T3YML-TR
MIC2772-M2M3YML-TR
MIC2772-M3M3YML-TR
MIC2772-M3S3YML-TR
MIC2772-S2S3YML-TR
MIC2772-S3S3YML-TR
MIC2772-T2T3YML-TR
MIC2772-T3T3YML-TR
MIC2800-A4SYML-TR
MIC2800-D24MYML-TR
MIC2800-D2FMYML-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC2800-G4JYML-TR
MIC2800-G4KYML-TR
MIC2800-G4MYML-TR
MIC2800-G4SYML-TR
MIC2800-G7SYML-TR
MIC2800-GFMYML-TR
MIC2800-GFSYML-TR
MIC2807-JJYML-TR
MIC2807-MMYML-TR
MIC2807-NNYML-TR
MIC2807-OOYML-TR
MIC2808-NNYFT-TR
MIC2810-1JGMYML-TR
MIC2810-44MYML-TR
MIC2810-4GKYML-TR
MIC2810-4GMYML-TR
MIC2810-4GPYML-TR
MIC2810-4GSYML-TR
MIC2810-4LSYML-TR
MIC2810-4MSYML-TR
MIC2810-CGJYML-TR
MIC2810-FGSYML-TR
MIC2811-4GJLYML-TR
MIC2811-4GMSYML-TR
MIC2821-4GJLYML-TR
MIC2821-4GMSYML-TR
MIC2826-A0YMT-TR
MIC2826-D9YMT-TR
MIC2827-B2YMT-TR
MIC2827-E1YMT-TR
MIC2841AYMT-TR
MIC2842AYMT-TR
MIC2843AYMT-TR
MIC2843YMT-TR
MIC2844AYMT-TR
MIC2845A-MFYMT-TR
MIC2845A-MGYMT-TR
MIC2845A-PGYMT-TR
MIC2845A-PPYMT-TR
MIC2845A-SCYMT-TR
MIC2846A-MFYMT-TR
MIC2846A-MGYMT-TR
MIC2846A-PGYMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC2846A-PPYMT-TR
MIC2846A-SCYMT-TR
MIC2860-2DYC6-TR
MIC2860-2DYD6-TR
MIC2860-2PYC6-TR
MIC2860-2PYD6-TR
MIC33030-4YHJ-TR
MIC33030-AYHJ-TR
MIC33030-GYHJ-T5
MIC33030-GYHJ-TR
MIC33030-JYHJ-TR
MIC33050-4YHL-TR
MIC33050-AYHL-T5
MIC33050-AYHL-TR
MIC33050-CYHL-TR
MIC33050-GYHL-TR
MIC33050-SYHL-TR
MIC33153-4YHJ-TR
MIC33153YHJ-TR
MIC3385-1.5YHL-TR
MIC3385YHL-TR
MIC4555YML-TR
MIC47050-1.2YML-TR
MIC47050-1.8YML-TR
MIC47050YML-TR
MIC47050YMT-TR
MIC47053YMT-T5
MIC47053YMT-TR
MIC47100-0.8YML-TR
MIC47100-08YMME
MIC47100-08YMME-TR
MIC47100-1.0YML-TR
MIC47100-1.2YML-TR
MIC47100-10YMME
MIC47100-10YMME-TR
MIC47100-12YMME
MIC47100-12YMME-TR
MIC47100YML-TR
MIC47100YMME
MIC47100YMME-TR
MIC4720YML-TR
MIC4720YMME
MIC4720YMME-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC4721YMM
MIC4721YMM-TR
MIC4722YML-TR
MIC4723YML-TR
MIC4723YMME
MIC4723YMME-TR
MIC4724YMME
MIC4724YMME-TR
MIC4742YML-TR
MIC4742YTSE
MIC4742YTSE-TR
MIC4744YML-TR
MIC4744YTSE
MIC4744YTSE-TR
MIC4782YML-TR
MIC4801YM
MIC4801YM-TR
MIC4802YME
MIC4802YME-TR
MIC4811YMM
MIC4811YMM-TR
MIC4812YMME
MIC4812YMME-TR
MIC5166YML-TR
MIC5167YML-TR
MIC5301-1.3YD5-TR
MIC5301-1.3YMT-TR
MIC5301-1.5YD5-TR
MIC5301-1.5YD5-TX
MIC5301-1.5YMT-TR
MIC5301-1.8YD5-TR
MIC5301-1.8YD5-TX
MIC5301-1.8YMT-TR
MIC5301-2.1YD5-TR
MIC5301-2.1YD5-TX
MIC5301-2.1YMT-TR
MIC5301-2.5YD5-TR
MIC5301-2.5YMT-TR
MIC5301-2.6YD5-TR
MIC5301-2.6YMT-TR
MIC5301-2.85YD5-TR
MIC5301-2.85YD5-TX
MIC5301-2.85YML-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5301-2.85YMT-TR
MIC5301-2.8YD5-TR
MIC5301-2.8YD5-TX
MIC5301-2.8YMT-TR
MIC5301-2.9YD5-TR
MIC5301-2.9YD5-TX
MIC5301-2.9YMT-TR
MIC5301-3.0YD5-TR
MIC5301-3.0YD5-TX
MIC5301-3.0YMT-TR
MIC5301-3.3YD5-TR
MIC5301-3.3YD5-TX
MIC5301-3.3YMT-TR
MIC5301-4.6YD5-TR
MIC5301-4.6YD5-TX
MIC5301-4.6YMT-TR
MIC5301YD5-TR
MIC5301YD5-TX
MIC5301YML-TR
MIC5301YMT-TR
MIC5302-1.3YMT-TR
MIC5302-1.5YMT-TR
MIC5302-1.8YMT-TR
MIC5302-2.1YMT-TR
MIC5302-2.5YMT-TR
MIC5302-2.6YMT-TR
MIC5302-2.85YMT-TR
MIC5302-2.8YMT-TR
MIC5302-2.9YMT-TR
MIC5302-3.0YMT-TR
MIC5302-3.3YMT-TR
MIC5302-4.6YMT-TR
MIC5303-1.3YMT-TR
MIC5303-1.5YMT-TR
MIC5303-1.8YMT-TR
MIC5303-2.1YMT-TR
MIC5303-2.5YMT-TR
MIC5303-2.6YMT-TR
MIC5303-2.85YMT-TR
MIC5303-2.8YMT-TR
MIC5303-2.9YMT-TR
MIC5303-3.0YMT-TR
MIC5303-3.3YMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5303-4.6YMT-TR
MIC5304-RGYMT-TR
MIC5304-XDYMT-TR
MIC5304-XGHYMT-TR
MIC5305-1.5YD5-TR
MIC5305-1.5YD5-TX
MIC5305-1.5YML-TR
MIC5305-1.8YD5-TR
MIC5305-1.8YD5-TX
MIC5305-1.8YML-TR
MIC5305-2.0YML-TR
MIC5305-2.5YD5-TR
MIC5305-2.5YD5-TX
MIC5305-2.5YML-TR
MIC5305-2.6YD5-TR
MIC5305-2.6YD5-TX
MIC5305-2.6YML-TR
MIC5305-2.7YD5-TR
MIC5305-2.7YD5-TX
MIC5305-2.7YML-TR
MIC5305-2.85YD5-TR
MIC5305-2.85YD5-TX
MIC5305-2.85YML-TR
MIC5305-2.8YD5-TR
MIC5305-2.8YD5-TX
MIC5305-2.8YML-TR
MIC5305-2.8YMT-TR
MIC5305-2.9YD5-TR
MIC5305-2.9YD5-TX
MIC5305-2.9YML-TR
MIC5305-3.0YD5-TR
MIC5305-3.0YD5-TX
MIC5305-3.0YML-TR
MIC5305-3.3YD5-TR
MIC5305-3.3YD5-TX
MIC5305-3.3YML-TR
MIC5305-4.6YML-TR
MIC5305-4.6YMT-TR
MIC5305-4.75YD5-TR
MIC5305-4.75YD5-TX
MIC5305-4.75YML-TR
MIC5305YML-TR
MIC5306-1.5YD5-TR



JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5306-1.8YD5-TR
MIC5306-1.8YD5-TX
MIC5306-2.5YD5-TR
MIC5306-2.5YD5-TX
MIC5306-2.6YD5-TR
MIC5306-2.8YD5-TR
MIC5306-3.0YD5-TR
MIC5306-3.0YD5-TX
MIC5306-3.1YD5-TR
MIC5307-1.5YD5-TR
MIC5307-1.5YD5-TX
MIC5307-1.8YD5-TR
MIC5307-1.8YD5-TX
MIC5307-2.8YD5-TR
MIC5307-2.8YD5-TX
MIC5307-3.0YD5-TR
MIC5307-3.0YD5-TX
MIC5308-1.2YD6-TR
MIC5308-1.2YMT-TR
MIC5308-1.5YD6-TR
MIC5308-1.5YMT-TR
MIC5308-1.8YD6-TR
MIC5308-1.8YMT-TR
MIC5308YD6-TR
MIC5308YMT-TR
MIC5309-1.2YD6-TR
MIC5309-1.2YMT-TR
MIC5309-1.5YD6-TR
MIC5309-1.5YMT-TR
MIC5309-1.8YD6-TR
MIC5309-1.8YMT-TR
MIC5309YD6-TR
MIC5309YMT-TR
MIC5310-GFYML-TR
MIC5310-GGYML-TR
MIC5310-GWYML-TR
MIC5310-JGYML-TR
MIC5310-JJYML-TR
MIC5310-KDYML-TR
MIC5310-KGYML-TR
MIC5310-LLYML-TR
MIC5310-MFYML-TR
MIC5310-MGYML-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5310-MGYMT-TR
MIC5310-MKYML-TR
MIC5310-MMYML-TR
MIC5310-NDYML-TR
MIC5310-NKYML-TR
MIC5310-NNYML-TR
MIC5310-OFYML-TR
MIC5310-OGYML-TR
MIC5310-OOYML-TR
MIC5310-PGYML-TR
MIC5310-PJYML-TR
MIC5310-PKYML-TR
MIC5310-PMYML-TR
MIC5310-PNYML-TR
MIC5310-PPYML-TR
MIC5310-SFYML-TR
MIC5310-SGYML-TR
MIC5310-SJYML-TR
MIC5310-SKYML-TR
MIC5310-SMYML-TR
MIC5310-SNYML-TR
MIC5310-SOYML-TR
MIC5310-SPYML-TR
MIC5310-SRYML-TR
MIC5310-SSYML-TR
MIC5311-DKYML-TR
MIC5311-GMYML-TR
MIC5311-NLYML-TR
MIC5311-NNYML-TR
MIC5312-DKYML-TR
MIC5312-GMYML-TR
MIC5312-GPYML-TR
MIC5312-MMYML-TR
MIC5312-NNYML-TR
MIC5313-F3YMT-TR
MIC5313-F4YMT-TR
MIC5313-F5YMT-TR
MIC5313-F6YMT-TR
MIC5313-FCYMT-TR
MIC5313-FFYMT-TR
MIC5313-G4YMT-TR
MIC5313-GGYMT-TR
MIC5314-F3YMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5314-F4YMT-TR
MIC5314-F5YMT-TR
MIC5314-F6YMT-TR
MIC5314-FCYMT-TR
MIC5314-FFYMT-TR
MIC5314-G4YMT-TR
MIC5314-GGYMT-TR
MIC5315-F4CYMT-TR
MIC5315-F5CYMT-TR
MIC5315-GGCYMT-TR
MIC5315-GW3YMT-TR
MIC5316-F4CYMT-TR
MIC5316-F5CYMT-TR
MIC5316-GGCYMT-TR
MIC5316-GW3YMT-TR
MIC5317-1.0YD5-T5
MIC5317-1.0YD5-TR
MIC5317-1.0YM5-T5
MIC5317-1.0YM5-TR
MIC5317-1.0YMT-T5
MIC5317-1.0YMT-TR
MIC5317-1.0YMT-TZ
MIC5317-1.2YD5-T5
MIC5317-1.2YD5-TR
MIC5317-1.2YM5-T5
MIC5317-1.2YM5-TR
MIC5317-1.2YMT-T5
MIC5317-1.2YMT-TR
MIC5317-1.2YMT-TZ
MIC5317-1.5YD5-T5
MIC5317-1.5YD5-TR
MIC5317-1.5YM5-T5
MIC5317-1.5YM5-TR
MIC5317-1.5YMT-T5
MIC5317-1.5YMT-TR
MIC5317-1.5YMT-TZ
MIC5317-1.8YD5-T5
MIC5317-1.8YD5-TR
MIC5317-1.8YM5-T5
MIC5317-1.8YM5-TR
MIC5317-1.8YMT-T5
MIC5317-1.8YMT-TR
MIC5317-1.8YMT-TZ

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5317-2.5YD5-T5
MIC5317-2.5YD5-TR
MIC5317-2.5YM5-T5
MIC5317-2.5YM5-TR
MIC5317-2.5YMT-T5
MIC5317-2.5YMT-TR
MIC5317-2.5YMT-TZ
MIC5317-2.8YD5-T5
MIC5317-2.8YD5-TR
MIC5317-2.8YM5-T5
MIC5317-2.8YM5-TR
MIC5317-2.8YMT-T5
MIC5317-2.8YMT-TR
MIC5317-2.8YMT-TZ
MIC5317-3.0YD5-T5
MIC5317-3.0YD5-TR
MIC5317-3.0YM5-T5
MIC5317-3.0YM5-TR
MIC5317-3.0YMT-T5
MIC5317-3.0YMT-TR
MIC5317-3.0YMT-TZ
MIC5317-3.3YD5-T5
MIC5317-3.3YD5-TR
MIC5317-3.3YM5-T5
MIC5317-3.3YM5-TR
MIC5317-3.3YMT-T5
MIC5317-3.3YMT-TR
MIC5317-3.3YMT-TZ
MIC5318-1.3YD5-TR
MIC5318-1.3YMT-TR
MIC5318-1.5YD5-TR
MIC5318-1.5YD5-TX
MIC5318-1.5YMT-TR
MIC5318-1.8YD5-TR
MIC5318-1.8YD5-TX
MIC5318-1.8YMT-TR
MIC5318-2.1YD5-TR
MIC5318-2.1YMT-TR
MIC5318-2.5YD5-TR
MIC5318-2.5YD5-TX
MIC5318-2.5YMT-TR
MIC5318-2.6YD5-TR
MIC5318-2.6YMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5318-2.85YD5-TR
MIC5318-2.85YD5-TX
MIC5318-2.8YD5-TR
MIC5318-2.8YD5-TX
MIC5318-2.8YMT-TR
MIC5318-2.9YD5-TR
MIC5318-2.9YMT-TR
MIC5318-3.0YD5-TR
MIC5318-3.0YD5-TX
MIC5318-3.0YMT-TR
MIC5318-3.3YD5-TR
MIC5318-3.3YD5-TX
MIC5318-3.3YMT-TR
MIC5318-4.6YD5-TR
MIC5318-4.6YMT-TR
MIC5318YD5-TR
MIC5318YD5-TX
MIC5318YMT-TR
MIC5319-1.3HYD5-TR
MIC5319-1.3HYML-TR
MIC5319-1.85YD5-TR
MIC5319-1.85YD5-TX
MIC5319-1.85YML-TR
MIC5319-1.8YD5-TR
MIC5319-1.8YD5-TX
MIC5319-1.8YML-TR
MIC5319-2.5YD5-TR
MIC5319-2.5YD5-TX
MIC5319-2.5YML-TR
MIC5319-2.6YD5-TR
MIC5319-2.6YD5-TX
MIC5319-2.6YML-TR
MIC5319-2.7YD5-TR
MIC5319-2.7YML-TR
MIC5319-2.85YML-TR
MIC5319-2.8YD5-TR
MIC5319-2.8YML-TR
MIC5319-2.9YML-TR
MIC5319-3.0YD5-TR
MIC5319-3.0YML-TR
MIC5319-3.3YD5-TR
MIC5319-3.3YML-TR
MIC5319-5.0YD5-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5319-5.0YML-TR
MIC5319YML-TR
MIC5320-46MYMT-TR
MIC5320-GFYD6-TR
MIC5320-GFYD6-TX
MIC5320-GFYMT-TR
MIC5320-GGYD6-TR
MIC5320-GGYMT-TR
MIC5320-GWYMT-TR
MIC5320-H4FYD6-TR
MIC5320-H4FYD6-TX
MIC5320-H4FYMT-TR
MIC5320-JGYD6-TR
MIC5320-JGYD6-TX
MIC5320-JGYML-TR
MIC5320-JGYMT-TR
MIC5320-JJYD6-TR
MIC5320-JJYML-TR
MIC5320-JJYMT-TR
MIC5320-KDYMT-TR
MIC5320-KGYD6-TR
MIC5320-KGYD6-TX
MIC5320-KGYML-TR
MIC5320-KGYMT-TR
MIC5320-LLYD6-TR
MIC5320-LLYD6-TX
MIC5320-LLYML-TR
MIC5320-LLYMT-TR
MIC5320-MFYD6-TR
MIC5320-MFYD6-TX
MIC5320-MFYML-TR
MIC5320-MFYMT-TR
MIC5320-MGYD6-TR
MIC5320-MGYD6-TX
MIC5320-MGYML-TR
MIC5320-MGYMT-TR
MIC5320-MKYD6-TR
MIC5320-MKYMT-TR
MIC5320-MMYD6-TR
MIC5320-MMYD6-TX
MIC5320-MMYML-TR
MIC5320-MMYMT-TR
MIC5320-NDYMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5320-NKYMT-TR
MIC5320-NNYD6-TR
MIC5320-NNYD6-TX
MIC5320-NNYMT-TR
MIC5320-OFYMT-TR
MIC5320-OGYMT-TR
MIC5320-OOYMT-TR
MIC5320-PGYD6-TR
MIC5320-PGYD6-TX
MIC5320-PGYMT-TR
MIC5320-PJYML-TR
MIC5320-PJYMT-TR
MIC5320-PKYD6-TR
MIC5320-PKYD6-TX
MIC5320-PKYML-TR
MIC5320-PKYMT-TR
MIC5320-PMYMT-TR
MIC5320-PNYMT-TR
MIC5320-PPYD6-TR
MIC5320-PPYD6-TX
MIC5320-PPYML-TR
MIC5320-PPYMT-TR
MIC5320-SFYMT-TR
MIC5320-SGYD6-TR
MIC5320-SGYD6-TX
MIC5320-SGYML-TR
MIC5320-SGYMT-TR
MIC5320-SJYD6-TR
MIC5320-SJYD6-TX
MIC5320-SJYML-TR
MIC5320-SJYMT-TR
MIC5320-SKYMT-TR
MIC5320-SMYML-TR
MIC5320-SMYMT-TR
MIC5320-SNYMT-TR
MIC5320-SOYMT-TR
MIC5320-SPYD6-TR
MIC5320-SPYD6-TX
MIC5320-SPYMT-TR
MIC5320-SRYMT-TR
MIC5320-SSYD6-TR
MIC5320-SSYD6-TX
MIC5320-SSYMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5321-46MYD6-TR
MIC5321-46MYMT-TR
MIC5321-GFYD6-TR
MIC5321-GFYD6-TX
MIC5321-GFYMT-TR
MIC5321-GGYD6-TR
MIC5321-GGYMT-TR
MIC5321-GWYMT-TR
MIC5321-JGYMT-TR
MIC5321-JJYMT-TR
MIC5321-KDYMT-TR
MIC5321-KGYMT-TR
MIC5321-LLYD6-TR
MIC5321-LLYML-TR
MIC5321-LLYMT-TR
MIC5321-MFYD6-TR
MIC5321-MFYD6-TX
MIC5321-MFYML-TR
MIC5321-MFYMT-TR
MIC5321-MGYD6-TR
MIC5321-MGYD6-TX
MIC5321-MGYML-TR
MIC5321-MGYMT-TR
MIC5321-MKYD6-TR
MIC5321-MKYMT-TR
MIC5321-MMYD6-TR
MIC5321-MMYD6-TX
MIC5321-MMYML-TR
MIC5321-MMYMT-TR
MIC5321-NDYMT-TR
MIC5321-NKYMT-TR
MIC5321-NNYMT-TR
MIC5321-OFYMT-TR
MIC5321-OGYMT-TR
MIC5321-OOYMT-TR
MIC5321-PGYD6-TR
MIC5321-PGYD6-TX
MIC5321-PGYMT-TR
MIC5321-PJYMT-TR
MIC5321-PKYMT-TR
MIC5321-PMYMT-TR
MIC5321-PNYMT-TR
MIC5321-PPYD6-TR



JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5321-PPYD6-TX
MIC5321-PPYML-TR
MIC5321-PPYMT-TR
MIC5321-SFYMT-TR
MIC5321-SGYMT-TR
MIC5321-SJYD6-TR
MIC5321-SJYD6-TX
MIC5321-SJYML-TR
MIC5321-SJYMT-TR
MIC5321-SKYMT-TR
MIC5321-SLYD6-TR
MIC5321-SLYMT-TR
MIC5321-SMYMT-TR
MIC5321-SNYMT-TR
MIC5321-SOYMT-TR
MIC5321-SPYMT-TR
MIC5321-SRYMT-TR
MIC5321-SSYD6-TR
MIC5321-SSYD6-TX
MIC5321-SSYML-TR
MIC5321-SSYMT-TR
MIC5322-MFYMT-TR
MIC5322-MGYMT-TR
MIC5322-NNYMT-TR
MIC5322-PMYMT-TR
MIC5322-PNYMT-TR
MIC5322-PPYMT-TR
MIC5323-1.8YD5-TR
MIC5323-1.8YMT-TR
MIC5323-2.8YD5-TR
MIC5323-2.8YMT-TR
MIC5323-3.3YD5-TR
MIC5323-3.3YMT-TR
MIC5323YMT-TR
MIC5325-1.2YMT-TR
MIC5325-1.5YMT-TR
MIC5325-1.8YMT-TR
MIC5325-3.6YMT-TR
MIC5326-2.8YMT-TR
MIC5327-1.8YMT-TR
MIC5327-2.8YMT-TR
MIC5330-GFYML-TR
MIC5330-GGYML-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5330-GWYML-TR
MIC5330-JGYML-TR
MIC5330-JJYML-TR
MIC5330-KDYML-TR
MIC5330-KGYML-TR
MIC5330-LLYML-TR
MIC5330-MFYML-TR
MIC5330-MGYML-TR
MIC5330-MKYML-TR
MIC5330-MMYML-TR
MIC5330-NDYML-TR
MIC5330-NKYML-TR
MIC5330-NNYML-TR
MIC5330-OFYML-TR
MIC5330-OGYML-TR
MIC5330-OOYML-TR
MIC5330-PGYML-TR
MIC5330-PJYML-TR
MIC5330-PKYML-TR
MIC5330-PMYML-TR
MIC5330-PNYML-TR
MIC5330-PPYML-TR
MIC5330-SFYML-TR
MIC5330-SGYML-TR
MIC5330-SJYML-TR
MIC5330-SKYML-TR
MIC5330-SMYML-TR
MIC5330-SNYML-TR
MIC5330-SOYML-TR
MIC5330-SPYML-TR
MIC5330-SRYML-TR
MIC5330-SSYML-TR
MIC5331-G4YMT-TR
MIC5331-J4YMT-TR
MIC5331-MMYMT-TR
MIC5331-MNYMT-TR
MIC5331-NNYMT-TR
MIC5331-PMYMT-TR
MIC5331-PNYMT-TR
MIC5331-PPYMT-TR
MIC5332-G4YMT-TR
MIC5332-J4YMT-TR
MIC5332-MMYMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5332-MNYMT-TR
MIC5332-NNYMT-TR
MIC5332-PMYMT-TR
MIC5332-PNYMT-TR
MIC5332-PPYMT-TR
MIC5332-SSYMT-T5
MIC5332-SSYMT-TR
MIC5333-G4YMT-TR
MIC5333-J4YMT-TR
MIC5333-MMYMT-TR
MIC5333-MNYMT-TR
MIC5333-NNYMT-TR
MIC5333-PMYMT-TR
MIC5333-PNYMT-TR
MIC5333-PPYMT-TR
MIC5335-GFYMT-TR
MIC5335-GGYMT-TR
MIC5335-GWYMT-TR
MIC5335-JGYMT-TR
MIC5335-JJYMT-TR
MIC5335-KDYMT-TR
MIC5335-KGYMT-TR
MIC5335-LLYMT-TR
MIC5335-MFYMT-TR
MIC5335-MGYMT-TR
MIC5335-MKYMT-TR
MIC5335-MMYMT-TR
MIC5335-NDYMT-TR
MIC5335-NKYMT-TR
MIC5335-NNYMT-TR
MIC5335-OFYMT-TR
MIC5335-OGYMT-TR
MIC5335-OOYMT-TR
MIC5335-PGYMT-TR
MIC5335-PJYMT-TR
MIC5335-PKYMT-TR
MIC5335-PMYMT-TR
MIC5335-PNYMT-TR
MIC5335-PPYMT-TR
MIC5335-SFYMT-TR
MIC5335-SGYMT-TR
MIC5335-SJYMT-TR
MIC5335-SKYMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5335-SLYMT-TR
MIC5335-SMYMT-TR
MIC5335-SNYMT-TR
MIC5335-SOYMT-TR
MIC5335-SPYMT-TR
MIC5335-SRYMT-TR
MIC5335-SSYMT-TR
MIC5337-1.8YMT-TR
MIC5337-2.8YMT-TR
MIC5338-4CYMT-TR
MIC5338-G4YMT-TR
MIC5338-M4YMT-TR
MIC5338-MGYMT-TR
MIC5339-4CYMT-TR
MIC5339-G4YMT-TR
MIC5339-M4YMT-TR
MIC5339-MGYMT-TR
MIC5339-SMYMT-TR
MIC5350-MGYMT-TR
MIC5350-MMYMT-TR
MIC5350-PGYMT-TR
MIC5350-SGYMT-TR
MIC5350-SMYMT-TR
MIC5353-1.8YMT-TR
MIC5353-2.5YMT-TR
MIC5353-2.6YMT-TR
MIC5353-2.8YMT-TR
MIC5353-3.0YMT-TR
MIC5353-3.3YMT-TR
MIC5353YMT-TR
MIC5355-G4YMME
MIC5355-G4YMME-TR
MIC5355-JGYMME
MIC5355-JGYMME-TR
MIC5355-S4YMME
MIC5355-S4YMME-TR
MIC5355-SCYMME
MIC5355-SCYMME-TR
MIC5355-SGYMME
MIC5355-SGYMME-TR
MIC5356-G4YMME
MIC5356-G4YMME-TR
MIC5356-JGYMME

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5356-JGYMME-TR
MIC5356-MGYML-T5
MIC5356-MGYML-TR
MIC5356-MMYML-T5
MIC5356-MMYML-TR
MIC5356-S4YMME
MIC5356-S4YMME-TR
MIC5356-SCYMME
MIC5356-SCYMME-TR
MIC5356-SGYMME
MIC5356-SGYMME-TR
MIC5357-GFYMME
MIC5357-GFYMME-TR
MIC5357-MGYMME
MIC5357-MGYMME-TR
MIC5357-SGYMME
MIC5357-SGYMME-TR
MIC5357-SMYMME
MIC5357-SMYMME-TR
MIC5361-1.0YMT-TZ
MIC5361-1.2YMT-TZ
MIC5361-1.3YMT-TZ
MIC5361-1.5YMT-TZ
MIC5361-1.8YMT-TZ
MIC5361-2.0YMT-TZ
MIC5361-2.5YMT-TZ
MIC5361-2.6YMT-TZ
MIC5361-2.7YMT-TZ
MIC5361-2.85YMT-TZ
MIC5361-2.8YMT-TZ
MIC5361-3.0YMT-TZ
MIC5361-3.1YMT-TZ
MIC5361-3.3YMT-TZ
MIC5362-1.0YMT-TZ
MIC5362-1.1YMT-TZ
MIC5362-1.2YMT-TZ
MIC5362-1.3YMT-TZ
MIC5362-1.5YMT-TZ
MIC5362-1.8YMT-TZ
MIC5362-2.0YMT-TZ
MIC5362-2.1YMT-T5
MIC5362-2.1YMT-TR
MIC5362-2.1YMT-TZ

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5362-2.5YMT-TZ
MIC5362-2.6YMT-TZ
MIC5362-2.7YMT-TZ
MIC5362-2.85YMT-TZ
MIC5362-2.8YMT-TZ
MIC5362-3.0YMT-TZ
MIC5362-3.1YMT-TZ
MIC5362-3.3YMT-TZ
MIC5363-1.2YMT-T5
MIC5363-1.2YMT-TR
MIC5363-2.8YMT-T5
MIC5363-2.8YMT-TR
MIC5363-3.3YMT-T5
MIC5363-3.3YMT-TR
MIC5364-1.2YMT-T5
MIC5364-1.2YMT-TR
MIC5364-2.8YMT-T5
MIC5364-2.8YMT-TR
MIC5364-3.3YMT-T5
MIC5364-3.3YMT-TR
MIC5365-1.0YC5-TR
MIC5365-1.0YMT-TZ
MIC5365-1.2YC5-TR
MIC5365-1.2YD5-T5
MIC5365-1.2YD5-TR
MIC5365-1.2YMT-TZ
MIC5365-1.3YC5-TR
MIC5365-1.5YC5-TR
MIC5365-1.5YMT-TZ
MIC5365-1.8YC5-TR
MIC5365-1.8YD5-T5
MIC5365-1.8YD5-TR
MIC5365-1.8YMT-TZ
MIC5365-2.0YC5-TR
MIC5365-2.0YMT-TZ
MIC5365-2.5YC5-TR
MIC5365-2.5YMT-TZ
MIC5365-2.6YC5-TR
MIC5365-2.6YMT-TZ
MIC5365-2.7YC5-TR
MIC5365-2.7YMT-TZ
MIC5365-2.85YC5-TR
MIC5365-2.85YD5-T5

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5365-2.85YD5-TR
MIC5365-2.85YMT-TZ
MIC5365-2.8YC5-TR
MIC5365-2.8YD5-T5
MIC5365-2.8YD5-TR
MIC5365-2.8YMT-TZ
MIC5365-2.9YC5-TR
MIC5365-2.9YMT-TZ
MIC5365-3.0YC5-TR
MIC5365-3.0YD5-T5
MIC5365-3.0YD5-TR
MIC5365-3.0YMT-TZ
MIC5365-3.3YC5-TR
MIC5365-3.3YD5-T5
MIC5365-3.3YD5-TR
MIC5365-3.3YMT-TZ
MIC5366-1.0YC5-TR
MIC5366-1.0YMT-TZ
MIC5366-1.2YC5-TR
MIC5366-1.2YMT-TZ
MIC5366-1.5YC5-TR
MIC5366-1.5YMT-TZ
MIC5366-1.8YC5-TR
MIC5366-1.8YMT-TZ
MIC5366-2.0YC5-TR
MIC5366-2.0YMT-TZ
MIC5366-2.1YMT-T5
MIC5366-2.1YMT-TZ
MIC5366-2.5YC5-TR
MIC5366-2.5YMT-TZ
MIC5366-2.6YC5-TR
MIC5366-2.6YMT-TZ
MIC5366-2.7YC5-TR
MIC5366-2.7YMT-TZ
MIC5366-2.85YC5-TR
MIC5366-2.85YMT-TZ
MIC5366-2.8YC5-TR
MIC5366-2.8YMT-TZ
MIC5366-2.9YC5-TR
MIC5366-2.9YMT-TZ
MIC5366-3.0YC5-TR
MIC5366-3.0YMT-TZ
MIC5366-3.1YMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5366-3.1YMT-TZ
MIC5366-3.3YC5-TR
MIC5366-3.3YMT-TZ
MIC5367-1.2YMT-TR
MIC5367-1.5YMT-TR
MIC5367-3.3YMT-TR
MIC5368-1.2YMT-TR
MIC5368-1.5YMT-TR
MIC5368-3.3YMT-TR
MIC5370-4CYMT-TR
MIC5370-G4YMT-TR
MIC5370-GFYMT-TR
MIC5370-M4YMT-TR
MIC5370-MFYMT-TR
MIC5370-MGYMT-TR
MIC5370-MKYMT-TR
MIC5370-MMYMT-TR
MIC5370-PGYMT-TR
MIC5370-PKYMT-TR
MIC5370-PMYMT-TR
MIC5370-PPYMT-TR
MIC5370-SGYMT-TR
MIC5370-SKYMT-TR
MIC5370-SMYMT-TR
MIC5370-SPYMT-TR
MIC5370-SSYMT-TR
MIC5371-4CYMT-TR
MIC5371-G4YMT-TR
MIC5371-M4YMT-TR
MIC5371-MFYMT-TR
MIC5371-MGYMT-TR
MIC5371-MMYMT-TR
MIC5371-PMYMT-TR
MIC5371-PPYMT-TR
MIC5371-SGYMT-TR
MIC5371-SMYMT-TR
MIC5371-SPYMT-TR
MIC5371-SSYMT-TR
MIC5373-MG4YMT-TR
MIC5373-SJGYMT-TR
MIC5374-MG44YMT-TR
MIC5374-SJG1YMT-TR
MIC5375-2.8YC5-TR



JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC5375-2.8YMT-TZ
MIC5376-2.8YC5-TR
MIC5376-2.8YMT-TZ
MIC5377YC5-TR
MIC5377YMT-TR
MIC5378YC5-TR
MIC5378YMT-TR
MIC5380-G4YFT-TR
MIC5380-KHYFT-TR
MIC5380-LLYFT-TR
MIC5380-M4YFT-TR
MIC5380-MGYFT-TR
MIC5380-NGYFT-TR
MIC5380-PPYFT-TR
MIC5380-SSYFT-TR
MIC5381-G4YFT-TR
MIC5381-M4YFT-TR
MIC5381-MGYFT-TR
MIC5381-PPYFT-TR
MIC5381-SSYFT-TR
MIC5383-MG4YMT-TR
MIC5383-SJGYMT-TR
MIC5384-MG44YMT-TR
MIC5384-SJG1YMT-TR
MIC5385-SGFYMT-TR
MIC5387-GMGYMT-TR
MIC5387-GMMYMT-TR
MIC5387-SG4YMT-TR
MIC5387-SGFYMT-TR
MIC5388-MGYCS-TR
MIC5389-MGYCS-TR
MIC6315-25D4UY-TR
MIC6315-26D2UY-TR
MIC6315-26D3UY-TR
MIC6315-26D4UY-TR
MIC6315-29D2UY-TR
MIC6315-29D3UY-TR
MIC6315-29D4UY-TR
MIC6315-30D2UY-TR
MIC6315-30D3UY-TR
MIC6315-30D4UY-TR
MIC6315-31D2UY-TR
MIC6315-31D3UY-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC6315-31D4UY-TR
MIC6315-40D2UY-TR
MIC6315-40D3UY-TR
MIC6315-40D4UY-TR
MIC6315-41D2UY-TR
MIC6315-41D3UY-TR
MIC6315-41D4UY-TR
MIC6315-42D3UY-TR
MIC6315-44D2UY-TR
MIC6315-44D3UY-TR
MIC6315-44D4UY-TR
MIC6315-46D2UY-TR
MIC6315-46D3UY-TR
MIC6315-46D4UY-TR
MIC803-26D2VC3-TR
MIC803-26D2VM3-TR
MIC803-26D3VC3-TR
MIC803-26D3VM3-TR
MIC803-26D4VC3-TR
MIC803-26D4VM3-TR
MIC803-29D2VC3-TR
MIC803-29D2VM3-TR
MIC803-29D3VC3-TR
MIC803-29D3VM3-TR
MIC803-29D4VC3-TR
MIC803-29D4VM3-TR
MIC803-30D2VC3-TR
MIC803-30D2VM3-TR
MIC803-30D3VC3-TR
MIC803-30D3VM3-TR
MIC803-30D4VC3-TR
MIC803-30D4VM3-TR
MIC803-31D2VC3-TR
MIC803-31D2VM3-TR
MIC803-31D3VC3-TR
MIC803-31D3VM3-TR
MIC803-31D4VC3-TR
MIC803-31D4VM3-TR
MIC803-40D2VC3-TR
MIC803-40D2VM3-TR
MIC803-40D3VC3-TR
MIC803-40D3VM3-TR
MIC803-40D4VC3-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC803-40D4VM3-TR
MIC803-41D2VC3-TR
MIC803-41D2VM3-TR
MIC803-41D3VC3-TR
MIC803-41D3VM3-TR
MIC803-41D4VC3-TR
MIC803-41D4VM3-TR
MIC803-44D2VC3-TR
MIC803-44D2VM3-TR
MIC803-44D3VC3-TR
MIC803-44D3VM3-TR
MIC803-44D4VC3-TR
MIC803-44D4VM3-TR
MIC803-46D2VC3-TR
MIC803-46D2VM3-TR
MIC803-46D3VC3-TR
MIC803-46D3VM3-TR
MIC803-46D4VC3-TR
MIC803-46D4VM3-TR
MIC809-5SUY-TR
MIC809-5SYC3-TR
MIC809JUY-TR
MIC809JYC3-TR
MIC809LUY-TR
MIC809LYC3-TR
MIC809MUY-TR
MIC809MYC3-TR
MIC809RUY-TR
MIC809RYC3-TR
MIC809SUY-TR
MIC809SYC3-TR
MIC809TUY-TR
MIC809TYC3-TR
MIC810JUY-TR
MIC810JYC3-TR
MIC810LUY-TR
MIC810LYC3-TR
MIC810MUY-TR
MIC810MYC3-TR
MIC810RUY-TR
MIC810RYC3-TR
MIC810SUY-TR
MIC810SYC3-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC810TUY-TR
MIC810TYC3-TR
MIC8114TUY-TR
MIC8115TUY-TR
MIC811JUY-TR
MIC811LUY-TR
MIC811MUJ-TR
MIC811RUY-TR
MIC811SUY-TR
MIC811TUY-TR
MIC812JUY-TR
MIC812LUY-TR
MIC812MUJ-TR
MIC812RUY-TR
MIC812SUY-TR
MIC812TUY-TR
MIC826LYMT-T5
MIC826LYMT-TR
MIC826MYMT-T5
MIC826MYMT-TR
MIC826RYMT-T5
MIC826RYMT-TR
MIC826SYMT-T5
MIC826SYMT-TR
MIC826TYMT-T5
MIC826TYMT-TR
MIC826WYMT-T5
MIC826WYMT-TR
MIC826YYMT-T5
MIC826YYMT-TR
MIC826ZYMT-T5
MIC826ZYMT-TR
MIC94030YM4-TR
MIC94031YM4-TR
MIC94040YFL-TR
MIC94041YFL-TR
MIC94042YFL-TR
MIC94043YFL-TR
MIC94044YFL-TR
MIC94045YFL-TR
MIC94050YM4-TR
MIC94051YM4-TR
MIC94052YC6-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC94053YC6-TR
MIC94060YC6-TR
MIC94060YMT-TR
MIC94061YC6-TR
MIC94061YMT-TR
MIC94062YC6-TR
MIC94062YMT-TR
MIC94063YC6-TR
MIC94063YMT-TR
MIC94064YC6-TR
MIC94064YMT-TR
MIC94065YC6-TR
MIC94065YMT-TR
MIC94066YML-TR
MIC94067YML-TR
MIC94068YML-TR
MIC94069YML-TR
MIC94070YC6-TR
MIC94070YC6-TX
MIC94070YMT-TR
MIC94071YC6-TR
MIC94071YC6-TX
MIC94071YMT-TR
MIC94072YC6-TR
MIC94072YC6-TX
MIC94072YMT-TR
MIC94073YC6-TR
MIC94073YC6-TX
MIC94073YMT-TR
MIC94080YFT-TR
MIC94081YFT-TR
MIC94082YFT-TR
MIC94083YFT-TR
MIC94084YFT-TR
MIC94085YFT-TR
MIC94090YC6-TR
MIC94090YMT-TR
MIC94091YC6-TR
MIC94091YMT-TR
MIC94092YC6-TR
MIC94092YMT-TR
MIC94093YC6-TR
MIC94093YMT-TR

JAON-08AHID607 - CCB 1737.10 Intermediate Notice: Qualification of Microchip 8 inch Fabrication site for Micrel products manufactured with the CSI05 Process Technology.

Affected Catalog Part Numbers (CPN)

PCN_JAON-08AHID607
CATALOG_PART_NBR
MIC94094YC6-TR
MIC94094YMT-TR
MIC94095YC6-TR
MIC94095YMT-TR
SPN015011-TR
SPN025012-TR
SPN025013-TR
SPN030039Y
SPN030039Y-TR
SPN030050G-TR
SPN035006G-TR