

PCN20027: Maximum Read Frequency on Certain LSRAM Read Modes Has Been Reduced

December 7, 2020

Description

The following LSRAM configurations have derated F_{MAX} specifications.

Table 1 • Derated F_{MAX} Specifications

Condition	Datasheet Revision 1.7		Datasheet Revision 1.8		Unit
	STD	-1	STD	-1	
Dual-port, all supported widths, non-pipelined, and read-before-write	274	285	240	285	MHz
Dual-port, all supported widths, pipelined, and read-before-write	274	285	240	285	MHz
Two-port, all supported widths, pipelined, and read-before-write	274	285	240	285	MHz
Two-port, all supported widths, non-pipelined, and read-before-write	274	285	240	285	MHz
Two-port pipelined ECC mode, pipelined, and read-before-write	274	285	240	285	MHz
Two-port non-pipelined ECC mode, pipelined, and read-before-write	274	285	198	240	MHz
Two-port pipelined ECC mode, non-pipelined, and read-before-write	274	285	240	285	MHz
Two-port non-pipelined ECC mode, non-pipelined, and read-before-write	193	285	193	240	MHz

Reason for Change

On-going QA testing and verification exposed a timing criticality in a critical path within the LSRAM.

Application Impact

Users should upgrade to Libero 12.6 and re-run static timing using SmartTime if they are using one of the above LSRAM configurations and the design is running faster than the new limits listed in the table above.

Production Shipment Schedule

This has no affect on production shipments. Libero 12.6 will contain the new LSRAM timing model.

Qualification Data

N/A

Samples Availability

N/A

Method of Identifying Changed Product

By part number.

Products Affected

PolarFire Part Numbers			
MPF100T-FCG484E	MPF100TL-FCG484E	MPF100T-1FCG484E	MPF100T-FCG484I
MPF100T-FCVG484E	MPF100TL-FCVG484E	MPF100T-1FCVG484E	MPF100T-FCVG484I
MPF100T-FCSG325E	MPF100TL-FCSG325E	MPF100T-1FCSG325E	MPF100T-FCSG325I
MPF200T-FCG484E	MPF200TL-FCG484E	MPF200T-1FCG484E	MPF200T-FCG484I
MPF200T-FCVG484E	MPF200TL-FCVG484E	MPF200T-1FCVG484E	MPF200T-FCVG484I
MPF200T-FCG784E	MPF200TL-FCG784E	MPF200T-1FCG784E	MPF200T-FCG784I
MPF200T-FCSG325E	MPF200TL-FCSG325E	MPF200T-1FCSG325E	MPF200T-FCSG325I
MPF200T-FCSG536E	MPF200TL-FCSG536E	MPF200T-1FCSG536E	MPF200T-FCSG536I
MPF300T-FCG484E	MPF300TL-FCG484E	MPF300T-1FCG484E	MPF300T-FCG484I
MPF300T-FCVG484E	MPF300TL-FCVG484E	MPF300T-1FCVG484E	MPF300T-FCVG484I
MPF300T-FCG784E	MPF300TL-FCG784E	MPF300T-1FCG784E	MPF300T-FCG784I
MPF300T-FCSG536E	MPF300TL-FCSG536E	MPF300T-1FCSG536E	MPF300T-FCSG536I
MPF300T-FCG1152E	MPF300TL-FCG1152E	MPF300T-1FCG1152E	MPF300T-FCG1152I
MPF500T-FCG784E	MPF500TL-FCG784E	MPF500T-1FCG784E	MPF500T-FCG784I
MPF500T-FCG1152E	MPF500TL-FCG1152E	MPF500T-1FCG1152E	MPF500T-FCG1152I
MPF100TL-FCG484I	MPF100T-1FCG484I	MPF100TLS-FCG484I	MPF100TS-FCG484I
MPF100TL-FCVG484I	MPF100T-1FCVG484I	MPF100TLS-FCVG484I	MPF100TS-FCVG484I
MPF100TL-FCSG325I	MPF100T-1FCSG325I	MPF100TLS-FCSG325I	MPF100TS-FCSG325I
MPF200TL-FCG484I	MPF200T-1FCG484I	MPF200TLS-FCG484I	MPF200TS-FCG484I
MPF200TL-FCVG484I	MPF200T-1FCVG484I	MPF200TLS-FCVG484I	MPF200TS-FCVG484I
MPF200TL-FCG784I	MPF200T-1FCG784I	MPF200TLS-FCG784I	MPF200TS-FCG784I
MPF200TL-FCSG325I	MPF200T-1FCSG325I	MPF200TLS-FCSG325I	MPF200TS-FCSG325I
MPF200TL-FCSG536I	MPF200T-1FCSG536I	MPF200TLS-FCSG536I	MPF200TS-FCSG536I
MPF300TL-FCG484I	MPF300T-1FCG484I	MPF300TLS-FCG484I	MPF300TS-FCG484I
MPF300TL-FCVG484I	MPF300T-1FCVG484I	MPF300TLS-FCVG484I	MPF300TS-FCVG484I
MPF300TL-FCG784I	MPF300T-1FCG784I	MPF300TLS-FCG784I	MPF300TS-FCG784I
MPF300TL-FCSG536I	MPF300T-1FCSG536I	MPF300TLS-FCSG536I	MPF300TS-FCSG536I
MPF300TL-FCG1152I	MPF300T-1FCG1152I	MPF300TLS-FCG1152I	MPF300TS-FCG1152I
MPF500TL-FCG784I	MPF500T-1FCG784I	MPF500TLS-FCG784I	MPF500TS-FCG784I
MPF500TL-FCG1152I	MPF500T-1FCG1152I	MPF500TLS-FCG1152I	MPF500TS-FCG1152I
MPF100TS-1FCG484I			
MPF100TS-1FCVG484I			
MPF100TS-1FCSG325I			
MPF200TS-1FCG484I			
MPF200TS-1FCVG484I			
MPF200TS-1FCG784I			
MPF200TS-1FCSG325I			
MPF200TS-1FCSG536I			
MPF300TS-1FCG484I			
MPF300TS-1FCVG484I			
MPF300TS-1FCG784I			
MPF300TS-1FCSG536I			
MPF300TS-1FCG1152I			
MPF500TS-1FCG784I			
MPF500TS-1FCG1152I			

Contact Information

If you have any questions about this subject, contact Microsemi Technical Support department by using the support portal at <https://soc.microsemi.com/Portal/Default.aspx>

Regards,

Microsemi Corporation

Any projected dates in this notification are based on the most current product information at the time this notification is being issued, but they may change due to unforeseen circumstances. For the latest schedule and any other information, please contact your local Microsemi Sales Office, the factory contact shown above, or your local distributor.

This notification is confidential and proprietary information of Microsemi and is intended only for distribution by Microsemi to its customers, for customers' use only. It must not be copied or provided to any third party without Microsemi's prior written consent.

**Microsemi**

2355 W. Chandler Blvd.
 Chandler, AZ 85224 USA

Within the USA: +1 (480) 792-7200
 Fax: +1 (480) 792-7277

www.microsemi.com © 2020 Microsemi and its corporate affiliates. All rights reserved. Microsemi and the Microsemi logo are trademarks of Microsemi Corporation and its corporate affiliates. All other trademarks and service marks are the property of their respective owners.

Microsemi's product warranty is set forth in Microsemi's Sales Order Terms and Conditions. Information contained in this publication is provided for the sole purpose of designing with and using Microsemi products. Information regarding device applications and the like is provided only for your convenience and may be superseded by updates. Buyer shall not rely on any data and performance specifications or parameters provided by Microsemi. It is your responsibility to ensure that your application meets with your specifications. THIS INFORMATION IS PROVIDED "AS IS." MICROSEMI MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, STATUTORY OR OTHERWISE, RELATED TO THE INFORMATION, INCLUDING BUT NOT LIMITED TO ITS CONDITION, QUALITY, PERFORMANCE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL MICROSEMI BE LIABLE FOR ANY INDIRECT, SPECIAL, PUNITIVE, INCIDENTAL OR CONSEQUENTIAL LOSS, DAMAGE, COST OR EXPENSE WHATSOEVER RELATED TO THIS INFORMATION OR ITS USE, HOWEVER CAUSED, EVEN IF MICROSEMI HAS BEEN ADVISED OF THE POSSIBILITY OR THE DAMAGES ARE FORESEEABLE. TO THE FULLEST EXTENT ALLOWED BY LAW, MICROSEMI'S TOTAL LIABILITY ON ALL CLAIMS IN RELATED TO THIS INFORMATION OR ITS USE WILL NOT EXCEED THE AMOUNT OF FEES, IF ANY, YOU PAID DIRECTLY TO MICROSEMI FOR THIS INFORMATION. Use of Microsemi devices in life support, mission-critical equipment or applications, and/or safety applications is entirely at the buyer's risk, and the buyer agrees to defend and indemnify Microsemi from any and all damages, claims, suits, or expenses resulting from such use. No licenses are conveyed, implicitly or otherwise, under any Microsemi intellectual property rights unless otherwise stated.

Microsemi Corporation, a subsidiary of Microchip Technology Inc. (Nasdaq: MCHP), and its corporate affiliates are leading providers of smart, connected and secure embedded control solutions. Their easy-to-use development tools and comprehensive product portfolio enable customers to create optimal designs which reduce risk while lowering total system cost and time to market. These solutions serve more than 120,000 customers across the industrial, automotive, consumer, aerospace and defense, communications and computing markets. Headquartered in Chandler, Arizona, the company offers outstanding technical support along with dependable delivery and quality. Learn more at www.microsemi.com.